















Fluidmaster is a global supplier of an extensive range of sanitary solutions, actively sold under the Fluidmaster<sup>®</sup> LIV<sup>®</sup> , SCHWAB<sup>®</sup> and WISA<sup>®</sup> brands

COMPLETE RANGE OF SANITARY SOLUTIONS

The enduring strength of Fluidmaster is based upon our never ending focus on customer satisfaction and innovation in all that we do.

We believe this focused and strategic approach to global growth is the best way to expand our footprint on a market by market basis as well as to support our manufacturing, distribution and business partners worldwide.

Through our recognized strong brands, now enhanced with Fluidmaster flushing technology, we provide a complete range of high-quality concealed and exposed cisterns, smart sanitary solutions, flushing plates and contact-less flushing systems, urinal, washbasin and bidet frames, shower drains, discharge valves and traps, sanitary ceramics, toilet seats, fill and flush valves, connecting elements, spare parts as well as many other accessories for bathrooms or sanitary environment.



Discover the world of flushing technology solutions.

# SMALL ADJUSTMENT, BIG CHANGE



The population is ageing faster and people want to stay in their homes longer. To fulfil this wish, even small, but life-important adjustments in the living environment can help. Independent use of toilet facilities is very important for every individual; lack of privacy leads to a later use of toilet facilities in many people, which can also bring unpleasant consequences. By encouraging independent toilet use, it is possible to prevent incontinence, and a correct ergonomic position of a toilet also promotes proper bowel movement.



### VARIOTRONIC



- The system is aesthetically designed.
- The wall part and the sides are made from high-quality stainless steel.
- There are versions with a mechanical, pneumatic or electronic flushing plate.
- The small width of the concealed system (42 cm) allows very simple manoeuvring with a wheelchair.
- Lateral support brackets next to the frame are fully foldable and move together with the element and are easy to install and remove.
- The system can withstand a static load of 400 kg.
- It is possible to lift people of up to 180 kg.
- Installing a concealed system is very simple.
- Servicing is possible from the side.

## THE HEIGHT ADJUSTABLE FLUSHING SYSTEM

#### PRODUCT DESCRIPTION

VarioTronic is an electronically height-adjustable concealed system. Using the remote controller, the height of the toilet bowl can be easily adjusted in the range of 20 cm (-2 cm/+18 cm). Minimum wall-mounted toilet bowl height is 38 cm, maximum is 58 cm. Both system sides and mounting assembly are made of stainless steel. The front element is available in high pressure laminate (colour: white) or safety glass (colour: white or black). You can also add matching folding support brackets in white or black colour.



#### OPTIMUM ACCESSIBILITY, FREEDOM OF MOVEMENT AND CHOICE

To help disabled people, the ones with special needs and ensure them comfortable use, we chose a design for VarioTronic in which the maximum element width does not exceed 42 cm. In this way, transferring from a wheelchair to a toilet is made easier.

The seating and stand-up positions are extremely comfortable (18 cm higher than in standard toilets) and flexible to meet specific user requirements.



Access with a wheelchair





### VARIOTRONIC

### FLUSHING PLATES

Mechanical, pneumatic and electronic flushing plates are available for operating the VarioTronic flushing system. They are aesthetically designed and constructed to be user-friendly and easy to install, made from high-quality materials with guaranteed long life span.



NEA



OPAL DUO

ONYX DUO



ARTE DUO



ITEA

### NEA FLUSHING PLATES

NEA flushing plates are a nice decoration in every bathroom and toilet facilities. Comfortable and hygienic flushing is possible using modern electronics; as you approach the toilet seat, the flushing plate activates and two indicators illuminate. Automatic flushing is triggered after a simple hand swing before the plate, and to simply change flushing plate settings you can use a special application for mobile phone or tablet. Automatic flushing can be easily turned on/off thus further improving comfort.



### VARIOTRONIC

#### INSTALLATION

VarioTronic is a system intended for pre-wall installation. Before installing VarioTronic, it is necessary to provide water supply and sewage system, install an electrical connector and finish the wall and floor.



VarioTronic system is supplied in multiple packaging, i.e. the basic element and final parts.

First the basic element (frame with cistern and electric motor) should be installed on finished wall and connected. Then the next phase is followed – front, upper and side plates and supporting handles assembly.

The basic element with front plates and stainless steel sides are additionally protected to minimal risk of damage before installation.



A Fluidmaster Family Brand



Industrijska cesta 2 6230 Postojna Slovenia, EU

www.liv.si